**UMPQUA Research Company**

738 SE Glenwood Dr., Bend, Oregon 97702

(541) 312-9454 Fax: (541) 312-9456

E-mail: BendLab@URCmail.net

Internet: http://ChemLab.cc

ORELAP ID# OR100052

**ANALYSIS REPORT****URC # B9J1205**

The Sweetwater Company, Inc. PO Box 70 Culver, OR 97734	Project: Distilled Water Testing Project #: N/P Client Cindy Boan	Date Reported: 12/04/09 Date Sampled: 11/09/09 11:55 Date Received: 10/12/09 13:25 Sampled By: Cindy Boan
---	---	--

Sample Location: Distilled Water

URC Sample #: B9J1205-01

Matrix: Drinking Water

Analyte	Code	Result	Units	MRL	MCL	Prepared	Analyzed	Analyst	Qualifier
<b>Inorganics</b>									
Chlorine Dioxide		ND	mg/L	0.0500		11/09/09 18:15	11/09/09 18:20		TDL
<b>SM 4500CN-C/E</b>									
Cyanide (I)	1024	ND	mg/L	0.020	0.2	11/23/09	11/23/09 18:26		TDL
<b>SM 4500-H B</b>									
pH (I)		5.4	pH Units			11/09/09 16:27	11/10/09 11:30		MLH
<b>SM 5530 B/D</b>									
Phenolics		ND	mg/L	0.10		12/02/09	12/2/09 19:27		TDL

UMPQUA Research Company

Teresa Mireles, Client Services

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



**UMPQUA Research Company**  
 738 SE Glenwood Dr., Bend, Oregon 97702  
 (541) 312-9454 Fax: (541) 312-9456  
 E-mail: BendLab@URCmail.net  
 Internet: http://ChemLab.cc  
 ORELAP ID# OR100052

**ANALYSIS REPORT**  
**URC # B9J1205**

The Sweetwater Company, Inc. PO Box 70 Culver, OR 97734	Project: Distilled Water Testing Project #: N/P Client Cindy Boan	Date Reported: 12/04/09 Date Sampled: 11/09/09 11:55 Date Received: 10/12/09 13:25 Sampled By: Cindy Boan
---	---	--

Sample Location: Distilled Water

URC Sample #: B9J1205-01


Matrix: Drinking Water

Analyte	Code	Result	Units	MRL	MCL	Prepared	Analyzed	Analyst	Qualifier
<b>Metals</b>									
<b>EPA 200.8</b>									
Aluminum		ND	mg/L	0.200		11/11/09	11/12/09 13:19	JMR	QR-03
Antimony (‡)	1074	ND	mg/L	0.010	0.006	11/11/09	11/12/09 13:19	JMR	
Arsenic (‡)	1005	ND	mg/L	0.010	0.01	11/11/09	11/12/09 13:19	JMR	
Barium (‡)	1010	ND	mg/L	0.100	2	11/11/09	11/12/09 13:19	JMR	
Beryllium (‡)	1075	ND	mg/L	0.00020	0.004	11/11/09	11/12/09 13:19	JMR	
Cadmium (‡)	1015	ND	mg/L	0.0010	0.005	11/11/09	11/12/09 13:19	JMR	
Chromium (‡)	1020	ND	mg/L	0.020	0.1	11/11/09	11/12/09 13:19	JMR	
Copper (‡)		ND	mg/L	0.010	1.3	11/11/09	11/12/09 13:19	JMR	
Lead (‡)	1030	ND	mg/L	0.002	0.015	11/11/09	11/12/09 13:19	JMR	
Manganese (‡)		ND	mg/L	0.010		11/11/09	11/12/09 13:19	JMR	
Nickel (‡)	1036	ND	mg/L	0.020	0.1	11/11/09	11/12/09 13:19	JMR	
Selenium (‡)	1045	ND	mg/L	0.010	0.05	11/11/09	11/12/09 13:19	JMR	
Silver (‡)		ND	mg/L	0.010	0.1	11/11/09	11/12/09 13:19	JMR	
Thallium (‡)	1085	ND	mg/L	0.001	0.002	11/11/09	11/12/09 13:19	JMR	
Zinc (‡)		ND	mg/L	0.020		11/11/09	11/12/09 13:19	JMR	
<b>EPA 245.1</b>									
Mercury (‡)	1035	ND	mg/L	0.001	0.002	11/23/09	11/25/09 7:03	JMR	QM-03
<b>SM 3111B</b>									
Iron (‡)		ND	mg/L	0.020	0.3	11/11/09	11/11/09 9:56	JMR	

UMPQUA Research Company

Teresa Mireles, Client Services

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



**UMPQUA Research Company**

738 SE Glenwood Dr., Bend, Oregon 97702

(541) 312-9454 Fax: (541) 312-9456

E-mail: BendLab@URCmail.net

Internet: http://ChemLab.cc

ORELAP ID# OR100052

**ANALYSIS REPORT**

**URC # B9J1205**

The Sweetwater Company, Inc. PO Box 70 Culver, OR 97734	Project: Distilled Water Testing Project #: N/P Client Cindy Boan	Date Reported: 12/04/09 Date Sampled: 11/09/09 11:55 Date Received: 10/12/09 13:25 Sampled By: Cindy Boan
---	---	--

Sample Location: Distilled Water

URC Sample #: B9J1205-01

Matrix: Drinking Water

Analyte	Code	Result	Units	MRL	MCL	Prepared	Analyzed	Analyst	Qualifier
---------	------	--------	-------	-----	-----	----------	----------	---------	-----------

**Microbiology**


**9223-B**

E. coli (±)		ND	MPN/100 mL	1.0	1	11/09/09 15:15	11/10/09 9:15	MLH	
Total Coliforms		ND	MPN/100 mL	1.0	1	11/09/09 15:15	11/10/09 9:15	MLH	

UMPQUA Research Company

Teresa Mireles, Client Services

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



**UMPQUA Research Company**

738 SE Glenwood Dr., Bend, Oregon 97702

(541) 312-9454 Fax: (541) 312-9456

E-mail: BendLab@URCmail.net

Internet: http://ChemLab.cc

ORELAP ID# OR100052

**ANALYSIS REPORT**

**URC # B9J1205**

The Sweetwater Company, Inc. PO Box 70 Culver, OR 97734	Project: Distilled Water Testing Project #: N/P Client Cindy Boan	Date Reported: 12/04/09 Date Sampled: 11/09/09 11:55 Date Received: 10/12/09 13:25 Sampled By: Cindy Boan
---	---	--

Sample Location: Distilled Water

URC Sample #: B9J1205-01

Matrix: Drinking Water

Analyte	Code	Result	Units	MRL	MCL	Prepared	Analyzed	Analyst	Qualifier
---------	------	--------	-------	-----	-----	----------	----------	---------	-----------

**Organics**

**EPA 8270C**

Naphthalene		ND	mg/L	0.0001		11/12/09	11/17/09 23:52	DBZ	
-------------	--	----	------	--------	--	----------	----------------	-----	--

UMPQUA Research Company

Teresa Mireles, Client Services

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



**UMPQUA Research Company**  
 738 SE Glenwood Dr., Bend, Oregon 97702  
 (541) 312-9454 Fax: (541) 312-9456  
 E-mail: BendLab@URCmail.net  
 Internet: http://ChemLab.cc  
 ORELAP ID# OR100052

**ANALYSIS REPORT**  
**URC # B9J1205**

The Sweetwater Company, Inc. PO Box 70 Culver, OR 97734	Project: Distilled Water Testing Project #: N/P Client Cindy Boan	Date Reported: 12/04/09 Date Sampled: 11/09/09 11:55 Date Received: 10/12/09 13:25 Sampled By: Cindy Boan
---	---	--

Sample Location: Distilled Water

URC Sample #: B9J1205-01


Matrix: Drinking Water

Regulated Analyte	Code	Result	Units	MRL	MCL	Prepared	Analyzed	Analyst	Qualifier
<b>Organics</b>									
<b>EPA 504.1</b>									
Dibromochloropropane (‡)	2931	ND	mg/L	0.00002	0.0002	11/12/09	11/12/09 15:25	DBZ	
Ethylene dibromide (‡)	2946	ND	mg/L	0.00001	0.00005	11/12/09	11/12/09 15:25	DBZ	
<b>EPA 508.1</b>									
Chlordane (‡)	2959	ND	mg/L	0.00004	0.002	11/20/09	11/24/09 23:19	DBZ	
Toxaphene (‡)	2020	ND	mg/L	0.0001	0.003	11/20/09	11/24/09 23:19	DBZ	
Aroclor-1016 (‡)	2383	ND	mg/L	0.00002	0.0005	11/20/09	11/24/09 23:19	DBZ	
Aroclor-1221 (‡)	2383	ND	mg/L	0.00002	0.0005	11/20/09	11/24/09 23:19	DBZ	
Aroclor-1232 (‡)	2383	ND	mg/L	0.00002	0.0005	11/20/09	11/24/09 23:19	DBZ	
Aroclor-1242 (‡)	2383	ND	mg/L	0.00002	0.0005	11/20/09	11/24/09 23:19	DBZ	
Aroclor-1248 (‡)	2383	ND	mg/L	0.00002	0.0005	11/20/09	11/24/09 23:19	DBZ	
Aroclor-1254 (‡)	2383	ND	mg/L	0.00002	0.0005	11/20/09	11/24/09 23:19	DBZ	
Aroclor-1260 (‡)	2383	ND	mg/L	0.00002	0.0005	11/20/09	11/24/09 23:19	DBZ	
<b>EPA 515.2</b>									
2,4-D (‡)	2105	ND	mg/L	0.00020	0.07	11/23/09	11/25/09 8:52	DBZ	
2,4,5-TP (Silvex) (‡)	2110	ND	mg/L	0.00040	0.05	11/23/09	11/25/09 8:52	DBZ	
Dinoseb (‡)	2041	ND	mg/L	0.00040	0.007	11/23/09	11/25/09 8:52	DBZ	QM-03
Pentachlorophenol (‡)	2326	ND	mg/L	0.00008	0.001	11/23/09	11/25/09 8:52	DBZ	
Picloram (‡)	2040	ND	mg/L	0.00020	0.5	11/23/09	11/25/09 8:52	DBZ	
<b>EPA 515.3</b>									
Dalapon (‡)	2031	ND	mg/L	0.002	0.2	11/19/09	11/23/09 9:42	DBZ	
<b>EPA 525.2</b>									
Alachlor (‡)	2051	ND	mg/L	0.0004	0.002	11/20/09	11/23/09 14:26	DBZ	
Atrazine (‡)	2050	ND	mg/L	0.0002	0.003	11/20/09	11/23/09 14:26	DBZ	
Benzo (a) pyrene (‡)	2306	ND	mg/L	0.00004	0.0002	11/20/09	11/23/09 14:26	DBZ	

UMPQUA Research Company

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Teresa Mireles, Client Services

**UMPQUA Research Company**

738 SE Glenwood Dr., Bend, Oregon 97702

(541) 312-9454 Fax: (541) 312-9456

E-mail: BendLab@URCmail.net

Internet: http://ChemLab.cc

ORELAP ID# OR100052

**ANALYSIS REPORT****URC # B9J1205**

The Sweetwater Company, Inc. PO Box 70 Culver, OR 97734	Project: Distilled Water Testing Project #: N/P Client Cindy Boan	Date Reported: 12/04/09 Date Sampled: 11/09/09 11:55 Date Received: 10/12/09 13:25 Sampled By: Cindy Boan
---	---	--

Sample Location: Distilled Water

URC Sample #: B9J1205-01


Matrix: Drinking Water

Regulated Analyte	Code	Result	Units	MRL	MCL	Prepared	Analyzed	Analyst	Qualifier
<b>Organics</b>									
gamma-BHC (Lindane) (‡)	2010	ND	mg/L	0.00002	0.0002	11/20/09	11/23/09 14:26	DBZ	
Bis-(2-ethylhexyl) adipate (‡)	2035	ND	mg/L	0.0010	0.4	11/20/09	11/23/09 14:26	DBZ	
Bis(2-ethylhexyl) phthalate (‡)	2039	ND	mg/L	0.0013	0.006	11/20/09	11/23/09 14:26	DBZ	
Endrin (‡)	2005	ND	mg/L	0.00002	0.002	11/20/09	11/23/09 14:26	DBZ	
Heptachlor (‡)	2065	ND	mg/L	0.00004	0.0004	11/20/09	11/23/09 14:26	DBZ	
Heptachlor epoxide (‡)	2067	ND	mg/L	0.00002	0.0002	11/20/09	11/23/09 14:26	DBZ	
Hexachlorobenzene (‡)	2274	ND	mg/L	0.0001	0.001	11/20/09	11/23/09 14:26	DBZ	
Hexachlorocyclopentadiene (‡)	2042	ND	mg/L	0.0002	0.05	11/20/09	11/23/09 14:26	DBZ	
Methoxychlor (‡)	2015	ND	mg/L	0.0002	0.04	11/20/09	11/23/09 14:26	DBZ	
Simazine (‡)	2037	ND	mg/L	0.0001	0.004	11/20/09	11/23/09 14:26	DBZ	
<b>EPA 531.1</b>									
Carbofuran (‡)	2046	ND	mg/L	0.004	0.04	11/19/09	11/19/09 13:09	N/A	SUB
Oxamyl (Vydate) (‡)	2036	ND	mg/L	0.004	0.2	11/19/09	11/19/09 13:09	N/A	SUB
<b>EPA 547</b>									
Glyphosate (‡)	2034	ND	mg/L	0.010	0.7	11/19/09	11/19/09 9:56	BEM	
<b>EPA 548.1</b>									
Endothal (‡)	2033	ND	mg/L	0.010	0.1	11/16/09	11/17/09 17:31	DBZ	
<b>EPA 549.2</b>									
Diquat Dibromide (‡)	2032	ND	mg/L	0.0004	0.02	11/16/09	12/2/09 9:09	BEM	

UMPQUA Research Company

Teresa Mireles, Client Services

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

**UMPQUA Research Company**

738 SE Glenwood Dr., Bend, Oregon 97702

(541) 312-9454 Fax: (541) 312-9456

E-mail: BendLab@URCmail.net

Internet: http://ChemLab.cc

ORELAP ID# OR100052

**ANALYSIS REPORT****URC # B9J1205**

The Sweetwater Company, Inc. PO Box 70 Culver, OR 97734	Project: Distilled Water Testing Project #: N/P Client Cindy Boan	Date Reported: 12/04/09 Date Sampled: 11/09/09 11:55 Date Received: 10/12/09 13:25 Sampled By: Cindy Boan
---	---	--

Sample Location: Distilled Water

URC Sample #: B9J1205-01

Matrix: Drinking Water

Unregulated Analyte	Code	Result	Units	MRL	MCL	Prepared	Analyzed	Analyst	Qualifier
---------------------	------	--------	-------	-----	-----	----------	----------	---------	-----------

**Organics****EPA 515.2**

Dicamba (‡)	2440	ND	mg/L	0.00050		11/23/09	11/25/09 8:52	DBZ	
-------------	------	----	------	---------	--	----------	---------------	-----	--

**EPA 525.2**

Aldrin (‡)	2356	ND	mg/L	0.0001		11/20/09	11/23/09 14:26	DBZ	
Butachlor (‡)	2076	ND	mg/L	0.0001		11/20/09	11/23/09 14:26	DBZ	
Dieldrin (‡)	2070	ND	mg/L	0.0001		11/20/09	11/23/09 14:26	DBZ	
Metolachlor (‡)	2045	ND	mg/L	0.0002		11/20/09	11/23/09 14:26	DBZ	
Metribuzin (‡)	2595	ND	mg/L	0.0001		11/20/09	11/23/09 14:26	DBZ	
Propachlor (‡)	2077	ND	mg/L	0.0001		11/20/09	11/23/09 14:26	DBZ	


**EPA 531.1**

Aldicarb (‡)	2047	ND	mg/L	0.004		11/19/09	11/19/09 13:09	N/A	SUB
Aldicarb sulfone (‡)	2044	ND	mg/L	0.004		11/19/09	11/19/09 13:09	N/A	SUB
Aldicarb sulfoxide (‡)	2043	ND	mg/L	0.004		11/19/09	11/19/09 13:09	N/A	SUB
Carbaryl (‡)	2021	ND	mg/L	0.004		11/19/09	11/19/09 13:09	N/A	SUB
3-Hydroxycarbofuran (‡)	2066	ND	mg/L	0.004		11/19/09	11/19/09 13:09	N/A	SUB
Methomyl (‡)	2022	ND	mg/L	0.004		11/19/09	11/19/09 13:09	N/A	SUB

UMPQUA Research Company

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Teresa Mireles, Client Services



**UMPQUA Research Company**  
 738 SE Glenwood Dr., Bend, Oregon 97702  
 (541) 312-9454 Fax: (541) 312-9456  
 E-mail: BendLab@URCmail.net  
 Internet: http://ChemLab.cc  
 ORELAP ID# OR100052

**ANALYSIS REPORT**  
**URC # B9J1205**

The Sweetwater Company, Inc. PO Box 70 Culver, OR 97734	Project: Distilled Water Testing Project #: N/P Client Cindy Boan	Date Reported: 12/04/09 Date Sampled: 11/09/09 11:55 Date Received: 10/12/09 13:25 Sampled By: Cindy Boan
---	---	--

Sample Location: Distilled Water

URC Sample #: B9J1205-01


Matrix: Drinking Water

Regulated Analyte	Code	Result	Units	MRL	MCL	Prepared	Analyzed	Analyst	Qualifier
<b>Volatile Organics</b>									
<b>EPA 524.2</b>									
1,1,1-Trichloroethane (‡)	2981	ND	mg/L	0.0005	0.2	11/16/09	11/16/09 9:46	DBZ	
1,1,2-Trichloroethane (‡)	2985	ND	mg/L	0.0005	0.005	11/16/09	11/16/09 9:46	DBZ	
1,1-Dichloroethylene (‡)	2977	ND	mg/L	0.0005	0.007	11/16/09	11/16/09 9:46	DBZ	
1,2,4-Trichlorobenzene (‡)	2378	ND	mg/L	0.0005	0.07	11/16/09	11/16/09 9:46	DBZ	
1,2-Dichlorobenzene (‡)	2968	ND	mg/L	0.0005	0.6	11/16/09	11/16/09 9:46	DBZ	
1,2-Dichloroethane (‡)	2980	ND	mg/L	0.0005	0.005	11/16/09	11/16/09 9:46	DBZ	
1,2-Dichloropropane (‡)	2983	ND	mg/L	0.0005	0.005	11/16/09	11/16/09 9:46	DBZ	
1,4-Dichlorobenzene (‡)	2969	ND	mg/L	0.0005	0.075	11/16/09	11/16/09 9:46	DBZ	
Benzene (‡)	2990	ND	mg/L	0.0005	0.005	11/16/09	11/16/09 9:46	DBZ	
Carbon Tetrachloride (‡)	2982	ND	mg/L	0.0005	0.005	11/16/09	11/16/09 9:46	DBZ	
Chlorobenzene (‡)	2989	ND	mg/L	0.0005	0.1	11/16/09	11/16/09 9:46	DBZ	
cis-1,2-Dichloroethylene (‡)	2380	ND	mg/L	0.0005	0.07	11/16/09	11/16/09 9:46	DBZ	
Ethyl Benzene (‡)	2992	ND	mg/L	0.0005	0.7	11/16/09	11/16/09 9:46	DBZ	
Methylene Chloride (‡)	2964	ND	mg/L	0.0005	0.005	11/16/09	11/16/09 9:46	DBZ	
Styrene (‡)	2996	ND	mg/L	0.0005	0.1	11/16/09	11/16/09 9:46	DBZ	
Tetrachloroethylene (‡)	2987	ND	mg/L	0.0005	0.005	11/16/09	11/16/09 9:46	DBZ	
Toluene (‡)	2991	ND	mg/L	0.0005	1	11/16/09	11/16/09 9:46	DBZ	
trans-1,2-Dichloroethylene (‡)	2979	ND	mg/L	0.0005	0.1	11/16/09	11/16/09 9:46	DBZ	
Trichloroethylene (‡)	2984	ND	mg/L	0.0005	0.005	11/16/09	11/16/09 9:46	DBZ	
Vinyl chloride (‡)	2976	ND	mg/L	0.0005	0.002	11/16/09	11/16/09 9:46	DBZ	
Total Xylenes (‡)	2955	ND	mg/L	0.0015	10	11/16/09	11/16/09 9:46	DBZ	

UMPQUA Research Company

Teresa Mireles, Client Services

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



**UMPQUA Research Company**

738 SE Glenwood Dr., Bend, Oregon 97702

(541) 312-9454 Fax: (541) 312-9456

E-mail: BendLab@URCmail.net

Internet: http://ChemLab.cc

ORELAP ID# OR100052

**ANALYSIS REPORT**

**URC # B9J1205**

The Sweetwater Company, Inc. PO Box 70 Culver, OR 97734	Project: Distilled Water Testing Project #: N/P Client Cindy Boan	Date Reported: 12/04/09 Date Sampled: 11/09/09 11:55 Date Received: 10/12/09 13:25 Sampled By: Cindy Boan
---	---	--

Sample Location: Distilled Water

URC Sample #: B9J1205-01

Matrix: Drinking Water

Unregulated Analyte	Code	Result	Units	MRL	MCL	Prepared	Analyzed	Analyst	Qualifier
---------------------	------	--------	-------	-----	-----	----------	----------	---------	-----------

**Volatile Organics**


**EPA 524.2**

1,1,1,2-Tetrachloroethane (‡)	2986	ND	mg/L	0.0005		11/16/09	11/16/09 9:46	DBZ	
1,1,2,2-Tetrachloroethane (‡)	2988	ND	mg/L	0.0005		11/16/09	11/16/09 9:46	DBZ	
Methyl-tert-butyl ether (‡)		ND	mg/L	0.0050		11/16/09	11/16/09 9:46	DBZ	
1,1-Dichloroethane (‡)	2978	ND	mg/L	0.0005		11/16/09	11/16/09 9:46	DBZ	
1,1-Dichloropropene (‡)	2410	ND	mg/L	0.0005		11/16/09	11/16/09 9:46	DBZ	
1,2,3-Trichloropropane (‡)	2414	ND	mg/L	0.0005		11/16/09	11/16/09 9:46	DBZ	
1,3-Dichlorobenzene (‡)	2967	ND	mg/L	0.0005		11/16/09	11/16/09 9:46	DBZ	
1,3-Dichloropropane (‡)	2412	ND	mg/L	0.0005		11/16/09	11/16/09 9:46	DBZ	
2,2-Dichloropropane (‡)	2416	ND	mg/L	0.0005		11/16/09	11/16/09 9:46	DBZ	
2-Chlorotoluene (‡)	2965	ND	mg/L	0.0005		11/16/09	11/16/09 9:46	DBZ	
4-Chlorotoluene (‡)	2966	ND	mg/L	0.0005		11/16/09	11/16/09 9:46	DBZ	
Bromobenzene (‡)	2993	ND	mg/L	0.0005		11/16/09	11/16/09 9:46	DBZ	
Bromodichloromethane (‡)	2943	ND	mg/L	0.0005		11/16/09	11/16/09 9:46	DBZ	
Bromoform (‡)	2942	ND	mg/L	0.0005		11/16/09	11/16/09 9:46	DBZ	
Bromomethane (‡)	2214	ND	mg/L	0.0005		11/16/09	11/16/09 9:46	DBZ	
Chloroethane (‡)	2216	ND	mg/L	0.0005		11/16/09	11/16/09 9:46	DBZ	
Chloroform (‡)	2941	ND	mg/L	0.0005		11/16/09	11/16/09 9:46	DBZ	
Chloromethane (‡)	2210	ND	mg/L	0.0005		11/16/09	11/16/09 9:46	DBZ	QM-01
cis-1,3-Dichloropropene (‡)	2413	ND	mg/L	0.0005		11/16/09	11/16/09 9:46	DBZ	
Dibromochloromethane (‡)	2944	ND	mg/L	0.0005		11/16/09	11/16/09 9:46	DBZ	
Dibromomethane (‡)	2408	ND	mg/L	0.0005		11/16/09	11/16/09 9:46	DBZ	
trans-1,3-Dichloropropene (‡)	2224	ND	mg/L	0.0005		11/16/09	11/16/09 9:46	DBZ	

UMPQUA Research Company

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Teresa Mireles, Client Services



## UMPQUA Research Company

738 SE Glenwood Dr., Bend, Oregon 97702

(541) 312-9454 Fax: (541) 312-9456

E-mail: BendLab@URCmail.net

Internet: <http://ChemLab.cc>

ORELAP ID# OR100052

## ANALYSIS REPORT

URC # B9J1205

### Qualifiers and Definitions

SUB	Sub-contract
S-04	The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
QR-03	The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference.
QM-03	The spike recovery was outside acceptance limits for the MS due to matrix interference. The LCS were within acceptance limits showing the analysis is in control and the data is acceptable.
QM-01	The spike recovery for this QC sample is outside of established control limits due to sample matrix interference.
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the MRL (minimum reporting limit)
NA	Not Applicable
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
MRL	Minimum Reporting Limit
MDL	Minimum Detection Limit
MCL	Maximum Contamination Level
(\$)	ORELAP Accredited Analyte
(~)	Due to rounding of individual analytes, the "total" may vary slightly from the sum of the individual analyte values.

UMPQUA Research Company

Teresa Mireles, Client Services

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.